

welding protection



**RHINO**  
*weld*

# RHINO *weld*



Welcome to the new **RHINO**  
*weld* catalogue where you will discover a range of premium quality, welding related Personal Protective Equipment designed for the specific needs of welders worldwide. We offer competitively priced, durable, reliable products, designed to keep you safe in the workplace. With stock holding locations in both East and West Europe, you can be sure that RHINOweld and RHINOtec products will be available to you whenever and wherever you need them. Our Customer Service teams are ready to answer any questions relating to all RHINOweld and RHINOtec products.

East Europe Sales contact: Jan Kafka, Tel: +420 773 03 33 55

West Europe Sales contact: Peter Fuhrlinger, Tel: +417 620 022 21

UK sales enquiries: +44 (0) 121 555 7167, Fax: +44 (0) 121 555 7168  
Eurox UK, Aqua House, Buttress Way, Smethwick, West Midlands B66 3DL

[www.rhinoweld.co.uk](http://www.rhinoweld.co.uk)    [www.eurox.co.uk](http://www.eurox.co.uk)

## GL016 Simply Red

Superior red welders gauntlet, made from cow split leather, features wing thumb, fully welted fingers with wraparound first finger. Jersey lining to palm, with FR cotton lining to cuff.

Fully Kevlar stitched.

CE approved to EN 388 CAT 2 & EN12477A



EN388

EN12477A



3 2 2 3

4 1 4 x 3 x

## GL122 Super Plus

Heavy duty tan welders gauntlet. Made from high quality selected Cow side split leather, featuring wing thumb with reinforced overlay, fully welted fingers & seams, fully Kevlar stitched, full jersey lining to palm and FR cotton lining to cuff.

CE approved to EN388 Cat 2 & EN12477A



EN388

EN12477A



3 2 2 3

4 1 4 x 3 x

## GL116 Ultima

High quality selected nappa leather palm with cow split leather cuff, Mig/Tig welders gauntlet. Full 15cm cuff, Kevlar stitched, Wing thumb with reinforcement, vein patch. Jersey fleece lined for greater comfort. CE approved to EN388 Cat 2 & EN407



EN388

EN12477A



3 1 1 1

4 1 4 x 3 x

## GL060 Gold Finger

Ultra high quality Mig welding gauntlet featuring, selected shoulder split 1.3mm leather, fully Kevlar stitched and fully welted with re-enforced palm, thumb crotch with wing thumb. Wrap around index finger and heavy duty jersey fleece liner to palm and back.

CE approved to EN 388 CAT 2, & EN12477A

EN388



3 2 2 3

EN12477A



4 2 4 x 3 x



## GL120 Ellipse

Superior new CURVED reinforced Mig welders gauntlet, ergonomically designed to fit the natural curve of the hand, made from high quality selected cow shoulder split leather, fully welted fingers & seams, reinforced thumb crotch, wing thumb, lined in a special fleece style FR fabric. Fully Kevlar stitched .

CE approved to EN388 Cat 2 & EN12477A

EN388



4 1 3 2

EN12477A



4 2 3 x 3 x



## GL124 Celsius

Aluminised back cow split leather welding gauntlet, suitable for protection against extreme heat. Heavy Duty 1.3mm cow split leather, aluminised kevlar back, wing thumb, fully welted construction, Kevlar stitched. Withstands 250 deg C. contact heat, 1000 deg C radiant heat. CE approved to EN388 Cat 2 & EN12477A

EN388



3 2 2 3

EN12477A



3 1 3 x 3 x



## GL145 Celsius X-treme

Ultra heavy duty version of GL124, with additional "Thermofelt" liner to palm. Withstands 500 deg C. Contact heat & 1000 deg C radiant heat. Fully Kevlar stitched. CE approved to EN388 Cat 2 & EN12477A

EN388



3 2 2 3

EN12477A



3 4 3 1 3 x



## GL149 Hi-Deposition

Hi Deposition heavy duty aluminised back welding gauntlet, with additional "Thermofelt" fibre lining to back and palm area. Withstands 250 deg C. Contact heat & 1500 deg C radiant heat. Fully Kevlar stitched. CE approved to EN388 Cat 2 & EN12477A

EN388



3 2 2 3

EN12477A



3 1 3 3 3 x



## GL084 Tig Classic

Lightweight traditional tig welders gauntlet with chrome split cuff. Keystone thumb, Unlined for added dexterity. Fully Kevlar stitched.

CE approved to EN388 Cat 2 & EN12477B

EN388



3 1 1 1

EN12477B



3 1 x x 3 x



## GL129 TIG Abrasoft

Unique goat split welding glove suitable for all Tig applications, featuring gunn cut profile for greater abrasion resistance, reinforced thumb crotch, Fully Kevlar stitched, 40mm vein patch, Unlined for greater dexterity.

CE approved to EN388 Cat 2 & EN12477B

EN388



2 1 1 2

EN12477B



3 1 2 x 3 x



## GL130 TIG Ultrasoft

Exclusive Tig welding glove made from high quality 1.1mm hide sheep skin, fully Kevlar stitched. The gunn cut pattern straight thumb makes it easy to grip objects and the wraparound first finger ensures greater abrasion resistance and dexterity. 14cm chrome cuff.

CE approved to EN388 Cat 2 & EN12477B

EN388



3 1 1 1

EN12477B



3 1 x x 3 x



## GL131 TIG Master

High quality selected nappa leather palm with cow split leather cuff, Tig welders gauntlet. Full 15cm cuff, Kevlar stitched, Wing thumb with reinforcement, vein patch.

Unlined for greater dexterity.

CE approved to EN388 Cat 2 & EN12477B



EN388



3 1 1 1

EN12477B



3 1 x x 3 x

## GL127 Heat Shield

Aluminised back, leather handshield for use in conjunction with welding gloves to reflect radiant heat.

NOTE: this item is sold in single units.





## JK269



RHINOweld lightweight leather & FR fabric, welders jacket, designed for maximum comfort and safety. Heavy-duty side split leather chest and sleeves provide superior protection for both Mig & Tig welding. KEVLAR stitched. The flame retardant cloth back offers ultimate levels of comfort and keeps you cool even in humid conditions. For spatter protection, the flip up high collar is secured by velcro which enhances the full velcro overlay to the front.

CE approved to EN ISO11611:2007

Class 2 A1 Welding standards.

Sizes: Small to XXXLarge (96cm to 117cm)



## JK936



RHINOweld - Welding jacket, abrasion resistant cow split leather, concealed stud front, reinforced placket, designed to withstand mechanical and thermal stress. Full KEVLAR stitching, with mandarin collar, internal pocket and lined collar for additional comfort. CE approved to EN ISO11611:2007 Class 2 A1 Welding standards

Sizes: Small to XXLLarge (96cm to 117cm)



## TR615



RHINOweld - Welding trouser to suit above, abrasion resistant, cow split leather. Full KEVLAR stitching, features two side pockets with side access, seven belt loops and reinforced stress areas. CE approved to EN ISO11611:2007 Class 2 A1 Welding standards

Sizes: Small to XXLLarge (81cm to 102cm)



## JK941



RHINOweld Bolero shoulder welding jacket and apron, high abrasion tan split leather, offers more freedom of movement and is considerably more comfortable than the conventional welding garment. It has a reinforced stud front and is supplied with the detachable apron specifically designed for use with the jacket. KEVLAR stitched.

Replacement aprons are available separately.  
CE approved to EN ISO11611:2007 Class 2 A1  
Welding standards

Sizes: Small to XXL Large (96cm to 117cm)



## AP013



Replacement aprons for JK941

## GL137



Heavy duty plus, ribbed cuff, cow split tan leather sleeve with elasticated strap & velcro adjustment. KEVLAR stitched.

CE approved to ISO11611, Class 2 A1



## GL143



Heavy duty raglan style, cow split tan leather sleeve with strap & buckle adjustment. KEVLAR stitched.

CE approved to EN ISO11611:2007 Class 2, A1




## GL141



New technology lightweight Aramid/Carbon woven breathable welding sleeves. Latest technology lightweight welding fibre, with elasticated velcro adjustable upper and FR elasticated cuffs. Green/Black.

CE approved to EN388:2003, EN531 A, B1 C1 and EN470-1:1995





**AP009** 

RHINOweld - 100 x 80CM tan cow split leather welders apron, KEVLAR stitched, strap adjustment. CE approved to EN ISO11611: Class 2 A1

**AC205** 

RHINOweld low leg tan/natural split leather welders gaiters with Velcro fastening. KEVLAR stitched. CE approved to EN ISO11611: Class 2 A1



RHINOweld aprons are fitted with an adjustable strap with quick fasten and release plastic clips



**AP010** 

RHINOweld - 60 x 70CM tan cow split leather welders waist apron, KEVLAR stitched, strap adjustment. CE approved to EN ISO11611: Class 2 A1

**AC211** 

RHINOweld - high leg tan split leather welders gaiters with strap & Velcro fastening. KEVLAR stitched. CE approved to EN ISO11611: Class 2 A1



## HT039



Flame retardant Insulated helmet liner  
black. ONE SIZE fits all.



## HT040



Flame retardant welding  
hood black  
ONE SIZE fits all.  
CE approved to EN  
ISO11612:2008, A, B1,  
C1 & EN ISO11611:2007  
Class1 A1



## HT041



Phoenix-FR Flame retardant  
balaclava black ONE SIZE fits all.  
CE approved to EN ISO11612:2008, A,  
B1, C1 & EN ISO11611:2007 Class1  
A1 & EN1149-3:2004 and  
EN1149-5:2008



## To order.

Welders bandana, made  
from 9oz. flame retardant  
material with an athletic  
mesh lining for fast sweat  
evaporation.  
ONE SIZE fits all.



Your company logo here.  
Details from your  
RHINOweld distributor.



## PS137



NEW Phoenix-FR woven flame retardant, welding polo shirt featuring 3 button placket, Navy, Royal or Black. CE approved to EN ISO 11612:2008, A, B1, C1 flame retardant, EN1149-3:2004 anti static. Sizes: Small to XXLlarge (96cm to 117cm)

  
NAVY ROYAL BLACK



## BS134



Heavy duty red welders FR treated cotton coverall with High Visibility tapes to Nordic design. Featuring elasticated waist, concealed zip front with stud overflap, two concealed zip chest pockets & two side pockets with trouser access. CE approved to EN531 A1 B1 C1 & EN470-1. Sizes: Small to XXLlarge (96cm to 117cm)

  
RED



## PS153



NEW Phoenix-FR knitted jersey FR welding polo shirt featuring High zip, Navy with yellow contrasting placket & collar yoke. CE approved to EN ISO 11612:2008, A, B1, C1 flame retardant, EN1149-3:2004 anti static and EN ISO 11611:2007 Class 1 A1 welding. Sizes: Small to XXLlarge (96cm to 117cm)

  
NAVY BLACK

## SS015

NEW Phoenix-FR woven flame retardant welding sweatshirt, featuring elasticated neck, elasticated wrists & waist.

Navy, Royal or Black.

CE approved to EN ISO 11612:2008, A, B1, C1 flame retardant, EN1149-3:2004 anti static.

Sizes: Small to XXLlarge (96cm to 117cm)



## BS003

RHINOweld heavy duty welders coverall. Inherent flame retardant fabric, elasticated waist, action back, concealed zip front with stud overflap, two chest & two side pockets with trouser access. Navy, Royal.

CE approved to EN531 A1B1C1, EN470-1, EN340 & EN1149 Anti Static..

Sizes: Small to XXLlarge (96cm to 117cm)



## FJ534

NEW Phoenix-FR woven flame retardant Welding Fleece, featuring full zip front with contrasting plackett, elasticated wrists. Navy or Black with contrasting yellow decal on collar. CE approved to EN ISO 11612:2008, A, B1, C1 flame retardant, EN1149-3:2004 anti static.

Sizes: Small to XXLlarge (96cm to 117cm)



# RHINO



## **HT044 - chest protector** **HT045 - head and neck protector**

Grained leather, chest, head and neck protectors. These two pieces of leather material, offer protection to the head, neck and chest area. They are ideal for welding in areas where all round protection is needed, to protect against sparks, spatter and any other air born particles from the welding environment.

They are split into two pieces.

One piece covers the chest area, whilst the other piece covers the head and neck area at the back of the helmet. Both pieces are fitted to a length of flexible rubber profile to allow quick and easy fitment to most types of static and auto darkening welding helmets.



## EP162

RHINOweld Senator 90mm x 110mm flip front ultra lightweight welding headshield complete with ratchet harness.  
Conforms to EN175 & EN166  
(Lens not included)



## EP097

RHINOweld Ambassador 90mm x 110mm lightweight welding handshield. Conforms to EN175. (Lens not included)



## RHINOweld magnifying lenses, shaded, cover and backing lenses




EP158-000-041-D10, **MAGNIFYING LENS** - 110mm x 51mm, +1.0 Diopter  
EP158-000-041-D15, **MAGNIFYING LENS** - 110mm x 51mm, +1.5 Diopter  
EP158-000-041-D20, **MAGNIFYING LENS** - 110mm x 51mm, +2.0 Diopter  
EP158-000-041-D25, **MAGNIFYING LENS** - 110mm x 51mm, +2.5 Diopter

EP160-000-051, **COVER LENS** - 110mm x 90mm Clear polycarbonate

EP161-000-051, **BACKING LENS** - 110mm x 90mm Clear polycarbonate to EN166 - 1B

EP159-000-S08, **Din shade 8** 110mm x 90mm glass filter welding lens to EN166 -1B  
EP159-000-S09, **Din shade 9** 110mm x 90mm glass filter welding lens to EN166 -1B  
EP159-000-S10, **Din shade 10** 110mm x 90mm glass filter welding lens to EN166 -1B  
EP159-000-S11, **Din shade 11** 10mm x 90mm glass filter welding lens to EN166 -1B  
EP159-000-S12, **Din shade 12** 110mm x 90mm glass filter welding lens to EN166 -1B  
EP159-000-S13, **Din shade 13** 110mm x 90mm glass filter welding lens to EN166 -1B  
EP159-000-S14, **Din shade 14** 110mm x 90mm glass filter welding lens to EN166 -1B



## HH104

RHINOtec-lite HDPE safety helmet. 8 point taped harness, Foam sweatband with actifresh treatment. 30mm accessory slot. Pin ratchet adjustment. Conforms to EN397  
Others colours available, please contact your distributor for details.



## HH102

RHINOtec ABS safety helmet. 8 point taped suspension. Actifresh treated foam sweatband. 30mm accessory slot. Full ratchet adjustment. Conforms to EN397. 440v and -30degC, LD. Others colours available, please contact your distributor.



## EP122

Internal helmet visor for RHINOtec ABS safety helmet. Conforms to EN166-1F

## HH101

RHINOtec baseball style bump cap. Full vent polycarbonate shell with foam comfort pad. Short peak. Conforms to EN812



### PRINTING AND EMBROIDERY OPTIONS

All RHINOtec helmets and bump caps can be personalised with your company logo.

Please contact your distributor for full details



## AC013

Aqua elasticated chinstrap with cup.  
Fits all RHINOtec safety helmets



## AC200

Flame retardant sweatband for use with all  
RHINOtec headwear products.



## EP102

RHINOtec visor carrier for use with all Rhino  
safety helmets.  
Conforms to EN166 39B



## EP101

RHINOtec medium performance helmet mounted  
hearing protector with PU foam seals.  
Conforms to EN352-3  
SNR 29dB



## EP165

RHINOtec, quick fit cap frame visor carrier to  
suit all peaked safety helmets.  
Conforms to EN166 3 9 BT



## Visors to fit RHINOtec visor carriers and browguards

EP127-000-041 lightweight 8"  
moulded clear polycarbonate  
visor, EN166 1B.3.9.



EP103-000-041 8" Wide angle  
visor, EN166 - 1 BT.3.9



EP103-000-S05, 8" moulded  
shade 5 polycarbonate visor.  
EN166 - 1 BT.3.9



## EP017

Wraparound clear polycarbonate visitors overspectacle.  
Conforms to BS EN 166 - 1F



## EP128

RHINOtec ultralite wraparound safety spectacle, hard coated anti scratch lens.  
Conforms to BS EN 166 - 1F.

Available in:

clear - EP128-000-041

amber - EP128-000-042

smoke - EP128-000-043



## EP108

RHINOtec wrap around safety spectacle, hard coated, anti-scratch UV 400 lens, memory-flex technology frame.  
Conforms to BS EN 166-1F.

Available in:

clear - EP108-000-041

smoke - EP108-000-043

indoor/outdoor - EP108-000-000

blue mirror - EP108-000-045



## EP135

RHINOtec safety spectacle, hard coated anti scratch, UV400 lens. Dual moulded TPR browshield, contoured temple arms with TPR pads, adjustable nosebridge. High impact polypropylene Frame. Conforms to BS EN166-1F

Available in:

clear - EP135-000-041

smoke - EP135-000-043

indoor/outdoor - EP135-000-000

blue mirror - EP135-000-045



## EP163-000-S05

RHINOweld Evoque shade 5 gas welding spectacle. Featuring comfortable nylon frame with TPR pads, clipout replacement lenses and fully moulded nose bridge for greater comfort.

Conforms to BS EN 166-1F & lens to EN169.



## EP013

RHINOtec Classic indirect ventilation goggle, featuring reflex edge comfort seal & elasticated adjustable strap.

Conforms to BS EN166 1B349



## EP133

RHINOtec Vantage stylish wraparound goggle, indirect ventilation, large reflex comfort seal, extra wide adjustable elasticated headband.

Hard coated anti mist lens.

Conforms to BS EN166 - 1B 349



## EP134

RHINOweld Vanquish stylish wraparound ski type welding goggle.

Indirect ventilation, large reflex comfort seal, extra wide adjustable elasticated headband.

Hard coated Shade 5 lens.

Conforms to BS EN166 1B 349, EN169 & EN170



## EP043

RHINOweld 50mm round, flip front welding goggle, shade 5 UV-IR filter & clear polycarbonate backing lens. Fully adjustable headband, large reflex comfort seal and indirect ventilation.

Conforms to BS EN166 - 1F & EN169



## EP164

### Browguard only

RHINOtec lightweight wraparound blue browguard, featuring comfortable cream ratchet headband with additional width adjustment, Cream visor attachment pins, comfort pad to rear assembly, with red adjuster knob and side tension knobs.

CE approved to EN166 3 9 BT



### Browguard complete with visor

EP042-000-041 - 8" wide angle moulded polycarbonate, complete with EP164 browguard

EP042-000-S05 - Shade 5 polycarbonate, complete with EP164 browguard

EP166-000-041 - 8" standard moulded polycarbonate, complete with EP164 browguard

EP042-000-041



EP042-000-S05



EP166-000-041



**RHINO**  
*weld*

**RP008-000-000**  
**FFP2 un-valved**



Mistrale FFP2 dust mist respirator c/w twin elastic headbands.  
Conforms to EN149:2001 + A1:2009

**RP002-000-000**  
**FFP2 valved**



Mistrale FFP2 Valved dust mist respirator c/w twin elastic headbands. Conforms to EN149:2001 + A1:2009

**RP057-000-003**  
**FFP2 organic vapour**



Mistrale FFP2 organic vapour valved dust, mist & welding respirator c/w twin elastic headbands.  
Conforms to EN149 FFP2 :2001 + A1 : 2009

**RP003-000-000**  
**FFP3 high efficiency valved**



Mistrale FFP3 high efficiency dust mist respirator c/w fully adjustable elastic headbands.  
Conforms to EN149 : FFP3 :2001 + A1 : 2009

**FFP2:** protection against non-toxic and low to average toxicity solid and liquid aerosols (e.g. oil mists) in concentrations up to 12.5 x OEL.

**FFP3:** protection against non-toxic, low to average toxicity and high toxicity and radioactive solid and liquid aerosols (e.g. oil-mists) in concentrations up to 50 x OEL.

## FW836 TITAN, S5 WELTED BOOT

- Anti Static resistant sole unit
- Steel midsole, 1100N penetration resistant
- 200 joules composite toe cap
- S3 Waterproof
- Computer designed tread pattern for excellent grip
- Oil resistant sole unit
- Energy absorbing heel
- Goodyear welted sole
- 300 degree C heat

Conforms to ISO 20345 : 2004

Sizes 5 - 13 (38 - 48.5)



## FW608 foundry boot

- Grained leather upper
- SB-HRO
- Nitrile rubber sole,
- Resistant to 300°C, oil, acids/alkalis and solvents
- Protective leather flap, prevents hot embers, sparks or hot materials entering boot.
- Quick release buckles
- Internal padded collar
- Extra support and comfort for ankle
- Safety Rating S3
- Toe protection tested to 200 joules impact

Conforms to BS4676

Sizes 5 - 13 (38 - 48.5)



## Cofra Soldador welding boot

- Steel Toe Cap & Midsole
- Water repellent grain leather upper
- Breathable, abrasion resistant Texelle lining
- One piece, removable, antistatic, footbed
- Dual density PU outersole
- Leather protected stitchings against sparks
- Side buckle fastening
- Padded collar,
- Non metallic APT Plate
- Safety Rating S3

Sizes 6 - 12 (39 - 47)



## FW071

Almar 05910 Metatarsal specialist boot -

- Full grain leather upper
- Metatarsal protector
- Steel midsole
- Air Light lining
- 200 Joule steel toe cap
- Fusion HR0 rubber / PU sole -
- 300°C heat resistant.
- S3 M HRO 05910

Conforms to EN ISO 20345:2004

Sizes 5 - 12 (38 - 47)



## FW110

- Black waxy Brogue shoe
- Polyurethane sole unit
- Removable foot bed
- Computer designed tread pattern
- Wide fit
- 1100N Penetration resistant mid sole

Conforms to ISO 20345 : 2004

Sizes 6 - 13 (39 - 48.5)



## FW029

- Black waxy tie shoe
- Polyurethane sole unit
- Removable foot bed
- Computer designed tread pattern
- Wide fit, antistatic, conductive
- Water penetration resistant upper
- Energy absorbing seat region
- 200J steel toe cap.
- 1100N penetration resistant.

Conforms to EN ISO 20345:2004 S3.

Sizes 3 - 13 (35 - 48.5)





### GL132 Heavy Duty Worker

High quality split leather canadian rigger's glove with 6cm rubberised cuff. Full finger tip protection with wraparound first finger, knuckle protector & vein patch.

CE approved to EN 420 & EN 388 CAT 2, Dexterity 4.

EN388



3 2 2 3



### GL043 Premium Rigger

Ultra high quality cow split leather Canadian pattern riggers gloves with 50mm rubberised cuff. Featuring wing thumb, wraparound first finger, fully welted, stylish reinforced palm with 20mm vein patch. Back has 10 oz drill back with leather knuckle protector and leather finger tips. Full jersey lined.

Conforms to EN388 Cat 2.

EN388



4 2 2 3



### GL134 Texan

NEW Superior CURVED "Texan" reinforced handlers glove, ergonomically designed to fit the natural curve of the hand, made from high quality selected cow shoulder split leather, fully welted fingers & seams, reinforced thumb crotch, wing thumb, lined in a special fleece style fabric.

Conforms to EN420, EN388 Cat 2

EN388



1 1 3 2



## GL029 Daytona

RHINOtec, cow grain leather drivers style glove.

Red, full fleece lining to glove.

Gunn cut to ensure good flexibility and with no seams to cause irritation or discomfort.

Keystone thumb construction. Red binding around cuff edge.

Conforms to EN420, EN388 Cat 2

EN388



3 1 3 2



## GL026 Cutmaster T5

RHINOtec PU palm coated, cut level 5, high performance glove. Polyurethane palm and finger tip coating offers superior grip in the toughest dry or wet conditions.

Superior abrasion and tear resistance and excellent grease and oil resistance.

Conforms to EN420, EN388 Cat 2

EN388



4 5 4 2



## GL063 Cabling Supergrip

Aqua supergrip cabling glove. Seamless construction for comfort and an open back for breathability. Close fitting for maximum dexterity. Elasticated wrist with velcro tab. Glove is entirely lint free and can also be safely laundered.

EN388



2 2 4 1



## GL004 PU Palm Coated

RHINOtec, black polyurethane palm coated glove with a 13 gauge seamless, grey nylon liner. Superior dexterity and sensitivity  
Elasticated knitwrist  
Ideal for electronic and computer assembly and small parts handling.



EN388



4 1 3 1

## GL001 Latex Palm Coated

RHINOtec, orange latex palm coated glove with a textured finish offering improved grip in both wet and dry conditions. Knitwrist. 10 gauge cotton/polyester shell. Coated fingertips and thumb crotch minimize wear in critical areas



EN388




2 2 4 3

**East Europe Sales contact:** Jan Kafka, Tel: +420 773 03 33 55

**West Europe Sales contact:** Peter Fuhrlinger, Tel: +417 620 022 21

**UK Sales enquiries:** +44 (0) 121 555 7167



[www.rhinoweld.co.uk](http://www.rhinoweld.co.uk)  
[www.eurox.co.uk](http://www.eurox.co.uk)

# welding protection

East Europe Sales contact:  
Jan Kafka, Tel: +420 773 03 33 55

West Europe Sales contact:  
Peter Fuhrlinger, Tel: +417 620 022 21

UK sales enquiries: +44 (0) 121 555 7167,  
Fax : +44 (0) 121 555 7168  
Eurox UK, Aqua House, Buttress Way, Smethwick,  
West Midlands B66 3DL

[www.rhinoweld.co.uk](http://www.rhinoweld.co.uk)    [www.eurox.co.uk](http://www.eurox.co.uk)



The information contained within this catalogue was correct at the time of printing. To ensure that our customers requirements and quality expectations are always met, Eurox reserves the right to amend, withdraw or cancel any products without prior notification.

**RHINO**  
*weld*